Discrete Mathematics
Volume 226, Numbers 1–3, 6 January 2001

Contents

Contributions

R.J.R. Abel, M. Greig, Y. Miao and L. Zhu
Resolvable BIBDs with block size 7 and index 6 1

G. Agnarsson, B. Doerr and T. Schoen
Coloring *t*-dimensional *m*-Boxes 21

K.P. Bogart, M.S. Jacobson, L.J. Langley and F.R. Mcmorris
Tolerance orders and bipartite unit tolerance graphs 35

I. Bouyukliev and D.B. Jaffe
Optimal binary linear codes of dimension at most seven 51

G. Cairns and D.M. King
All odd musquashes are standard 71

G. Chartrand, D.W. VanderJagt and P. Zhang
On the planarity of iterated jump graphs 93

M. Chastand
Fiber-complemented graphs — I: structure and invariant subgraphs 107

M. Conforti and R. Rizzi
Shortest paths in conservative graphs 143

M.A. Fiol, E. Garriga and J.L.A. Yebra
Boundary graphs: The limit case of a spectral property 155

D. Forge and J.L. Ramírez Alfonsín
On reconstructing arrangements from their sets of simplices 175

H.-L. Fu, M.-C. Tsai and N.H. Xuong
The decay number and the maximum genus of diameter 2 graphs 191

S. Fujishige and S.B. Patkar
Realization of set functions as cut functions of graphs and hypergraphs 199

L. Hellerstein
On generalized constraints and certificates 211

Z. Katona
Intersecting families of sets, no *l* containing two common elements 233

J.H. Kingston and N.P. Sheppard
On the hardness of computing maximum self-reduction sequences 243

A. Knopfmacher and H. Prodinger
Combinatorics of geometrically distributed random variables: Value and position of the *r*th left-to-right maximum 255

M. Miller and J. Širáň
Digraphs of degree two which miss the Moore bound by two 269

H.S. Mortveit and C.M. Reidys
Discrete, sequential dynamical systems 281

D. Rautenbach and V.E. Zverovich
Perfect graphs of strong domination and independent strong domination 297

J. Tuliani
De Bruijn sequences with efficient decoding algorithms 313

P.-H. Wei and C.-W. Weng
A typical vertex of a tree 337

Communications

D. Morgenstern
Proof of a conjecture by Walter Deuber concerning the distances between points of two types in R^d 347

R. Škrekovski
Two relations for median graphs 351

Notes

R.M. Adin, A. Postnikov and Y. Roichman
On characters of Weyl groups 355

V.E. Alekseev and V.V. Lozin
On orthogonal representations of graphs 359

R.A. Beezer, J.E. Riegsecker and B.A. Smith
Using minimum degree to bound average distance 365

R.A. Brualdi and J. Shen
Diameter of the NEPS of bipartite graphs 373

J.M. Chao and H. Kaneta
Classical arcs in PG(r, q) for $23 \leqslant q \leqslant 29$ 377

O.M. D'Antona, C. Mereghetti and F. Zamparini
The 224 non-chordal graphs on less than 10 vertices whose chromatic polynomials have no complex roots 387

H.-L. Fu and W.-H. Hu
A note on ascending subgraph decompositions of complete multipartite graphs 397

T. Helleseth, C. Rong and K. Yang
New 3-designs from Goethals codes over Z_4 403

Y. Roditty, B. Shoham and R. Yuster
Monotone paths in edge-ordered sparse graphs 411

L.-s. Shi and K-m. Zhang
A bound for multicolor Ramsey numbers 419

G.G. Szpiro
The number of permutations with a given signature, and the expectations of their elements 423

S.S. Wang
Pebbling and Graham's Conjecture 431

W.-j. Woan
Area of Catalan paths 439

B. Zgrablić
On quasiabelian Cayley graphs 445

Author index to volume 226 449